

SEP 15 2008

Application Serial No. 10/522,110  
Reply to office action of May 14, 2008PATENT  
Docket: CU-4057Amendments To The Claims


The listing of claims presented below will replace all prior versions, and listings, of claims in the application.

Listing of claims:

1. (currently amended) A compound of riboflavin derivatives, ~~comprising all ester derivatives of riboflavin or hydroxyl group of ribitol on the lateral chain of sulforiboflavin except the tetra-stearate ester, tetra-palmitate ester, tri-laurate ester, tetra-decanoate ester, tetra-butyrate ester, tetra-acetate ester, tetra-tryptophan ester, phosphate ester of riboflavin selected from the group consisting of 5'-lauric acid monester of riboflavin, isobutyrate of riboflavin, riboflavin-2,6-dimethoxybenzoate, and adamantane acid ester of riboflavin.~~

2- 5 (canceled)

6. (currently amended) A w/o suspending An oil suspension preparation using the compound of claim [[3]] 1 comprising as a main active constituent being mainly composed of ethyl oleate and the compound of claim 1 in Formula II:



Formula II.

Application Serial No. 10/522,110  
Reply to office action of May 14, 2008

PATENT  
Docket: CU-4057

7. (currently amended) The ~~w/o suspending suspension~~ preparation according to claim 6, wherein camellia oil is added and the ratio of weight and volume of each ingredient are as follows:

Compound II	50 - 150 mg
Ethyl oleate	0.1 - 1 ml
Camellia oil	0-1 ml

8. (currently amended) The ~~w/o suspending suspension~~ preparation according to claim 7, wherein the preferable ratio of weight and volume of each ingredient are as follows:

Compound of Formula II	150 mg
Ethyl oleate	0.5 ml
Camellia oil	0.5 ml

9. (currently amended) [[An]] The method of using application of the compound of claim [[1]] 12, wherein ~~the compound can be used in preparing the medicament for the preparation containing the compound is used to treat~~ arboflavinosis.

10. (currently amended) [[An]] The method of using application of the compound of claim [[1]] 12, wherein ~~the compound can be used in preparing the medicament for the preparation containing the compound is used to treat~~ digestive tract catarrh caused by bone marrow transportation transplantation, leukemia or chemotherapy.

Application Serial No. 10/522,110  
Reply to office action of May 14, 2008

PATENT  
Docket: CU-4057

11. (currently amended) [[An]] The method of using application of the compound of claim [[1]] 12, wherein ~~the compound can be used in preparing the medicament for the preparation containing the compound is used to treat~~ persistent oral ulcer.

12. (currently amended) [[An]] A method of using a application of the compound of claim 1, wherein ~~the compound can be used in preparing the medicament for coronary heart disease, hypertension syndrome, arthritis and burn wound comprising using a preparation containing the compound to treat a disease~~.

13-20. (canceled)